



**PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND G20 (488–512 MHz)**

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	CH17; Standard	CH18; Standard	CH19; Standard	CH20; Standard	CH17 CH18; Standard	CH18 CH19; Standard	CH19 CH20; Standard	CH17 CH20; Standard	Full Range; Robust
1	488.150	494.125	500.200	506.150	488.475	494.775	500.125	488.200	488.900
2	488.950	494.550	500.600	506.775	489.500	495.375	500.650	489.225	490.025
3	489.450	495.675	501.625	507.775	490.150	497.075	501.475	491.675	491.975
4	491.850	497.600	502.000	510.025	492.150	497.750	504.800	492.075	492.475
5	492.275	498.225	504.275	510.425	492.550	499.700	506.975	493.300	494.575
6	493.425	499.225	505.225	511.475	495.275	501.975	507.650	493.800	496.375
7	493.800	499.850	505.850	511.850	497.050	502.975	508.625	506.200	497.625
8	502.975	489.550	488.600	488.575	497.700	503.350	509.950	507.075	504.925
9	504.275	490.325	489.225	489.175	499.200	505.400	510.975	507.625	505.650
A	505.875	507.250	491.675	490.075	499.800	505.800	511.700	509.850	506.675
B	506.500	507.725	492.775	492.600	506.600	489.075	488.250	510.275	507.300
C	508.025	509.850	493.575	493.375	507.750	510.025	488.925	511.375	509.350
D	508.425	511.050	509.225	497.050	510.400	490.075	489.950	511.775	509.975
E	510.650	511.550	510.775	498.625	511.475	491.500	493.975	496.350	511.000
F	511.350	506.500	490.875	499.125	511.850	511.625	490.625	496.875	511.725

**PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND H20 (518–542 MHz)**

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More frequencies	Full Range; Standard	Full Range; Robust	CH27 CH28; Standard	Belgium: CH27 CH29; Standard	CH28 CH29; Standard	Belgium: CH27; Maxi- mum	CH 28; Maxi- mum	Belgium: CH29; Maxi- mum
1	519.225	518.400	518.300	518.200	518.650	526.200	518.500	526.175	534.300
2	519.850	520.475	518.825	518.850	519.050	526.575	519.075	526.900	535.375
3	520.850	521.150	520.575	521.400	520.450	527.625	519.925	527.275	536.000
4	522.175	522.125	521.575	522.000	520.925	528.025	520.275	528.125	536.875
5	523.875	523.400	521.950	522.900	523.725	532.425	521.050	528.675	537.450
6	526.075	524.350	526.125	526.275	524.300	532.950	523.275	530.875	539.150
7	526.600	525.000	526.525	528.525	525.225	534.475	524.050	531.925	539.900
8	529.650	527.125	527.850	529.150	525.850	535.075	524.400	532.500	540.300
9	531.725	535.200	532.075	530.175	534.325	538.950	525.250	533.325	541.175
A	534.425	536.475	533.100	531.525	535.250	540.150	525.775	533.875	541.800
B	536.300	536.900	535.450	532.550	536.850	540.575			
C	537.825	539.475	535.975	533.250	537.300	541.800			
D	538.775	540.025	539.150		539.850				
E	540.450	540.875	541.125		540.600				
F	541.575	541.425	541.525		541.675				

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND H8E (518–542 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More frequencies	Full Range; Standard	Full Range; Robust	CH27 CH28; Standard	Belgium: CH27 CH29; Standard	CH28 CH29; Standard	Belgium: CH27; Maximum	CH 28; Maximum	Belgium: CH29; Maximum
1	519.225	518.400	518.300	518.200	518.650	526.200	518.500	526.175	534.300
2	519.850	520.475	518.825	518.850	519.050	526.575	519.075	526.900	535.375
3	520.850	521.150	520.575	521.400	520.450	527.625	519.925	527.275	536.000
4	522.175	522.125	521.575	522.000	520.925	528.025	520.275	528.125	536.875
5	523.875	523.400	521.950	522.900	523.725	532.425	521.050	528.675	537.450
6	526.075	524.350	526.125	526.275	524.300	532.950	523.275	530.875	539.150
7	526.600	525.000	526.525	528.525	525.225	534.475	524.050	531.925	539.900
8	529.650	527.125	527.850	529.150	525.850	535.075	524.400	532.500	540.300
9	531.725	535.200	532.075	530.175	534.325	538.950	525.250	533.325	541.175
A	534.425	536.475	533.100	531.525	535.250	540.150	525.775	533.875	541.800
B	536.300	536.900	535.450	532.550	536.850	540.575			
C	537.825	539.475	535.975	533.250	537.300	541.800			
D	538.775	540.025	539.150		539.850				
E	540.450	540.875	541.125		540.600				
F	541.575	541.425	541.525		541.675				

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND J10 (584–608 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	CH33; Standard	CH34; Standard	CH35; Standard	CH36; Standard	CH33 CH34; Standard	CH34 CH35; Standard	CH35 CH36; Standard	CH33 CH36; Standard	Full Range; Robust
1	584.150	590.125	596.225	602.150	584.475	590.275	596.125	584.200	584.900
2	584.950	590.550	596.625	602.775	585.500	591.400	596.925	585.225	586.025
3	585.450	591.675	597.625	603.775	586.150	592.200	597.425	587.675	587.975
4	587.850	593.600	599.825	606.025	588.150	594.700	599.100	588.075	588.475
5	588.275	594.225	600.200	606.425	588.550	595.300	599.600	589.300	590.575
6	589.425	595.225	601.325	607.475	591.275	596.250	600.400	589.800	592.375
7	589.800	595.850	601.725	607.850	593.050	598.775	604.200	602.200	593.625
8	598.975	585.550	584.200	584.575	593.700	599.900	605.300	603.075	600.925
9	600.275	586.325	585.700	585.175	595.200	600.675	605.725	603.625	601.650
A	601.875	603.250	586.700	586.075	595.800	601.825	606.900	605.850	602.675
B	602.500	603.725	588.075	588.600	602.600	584.950	584.375	606.275	603.300
C	604.025	605.850	588.500	589.375	603.750	586.225	585.650	607.375	605.350
D	604.425	607.050	589.750	593.050	606.400	591.000	586.200	607.775	605.975
E	606.650	607.550	607.850	594.625	607.475	604.075	587.600	592.350	607.000
F	607.350	602.450	594.475	595.125	607.850	606.950	590.100	592.875	607.725

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND J13 (566–590 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	CH30; Standard	CH31; Standard	CH32; Standard	CH33; Standard	CH30 CH31; Standard	CH31 CH32; Standard	CH32 CH33; Standard	CH30 CH33; Standard	Full Range; Robust
1	566.175	572.150	578.225	584.375	566.475	572.350	576.125	566.200	566.900
2	567.050	572.550	578.625	584.975	567.500	573.375	578.950	567.225	568.025
3	567.625	573.650	579.625	585.875	568.150	574.000	579.475	569.675	569.975
4	569.875	574.100	581.825	586.475	570.150	576.950	580.300	570.075	570.475
5	570.325	576.350	582.200	588.275	570.550	577.550	582.800	571.300	572.575
6	571.425	576.900	583.325	589.275	573.275	578.550	583.275	571.800	574.375
7	571.825	577.800	583.725	589.675	575.050	578.950	584.925	584.200	575.625
8	581.000	566.925	566.200	566.550	575.700	582.075	588.025	585.075	582.925
9	582.250	584.250	567.700	567.300	577.200	582.450	588.750	585.625	583.650
A	582.700	584.975	568.700	568.600	577.800	583.400	589.850	587.850	584.675
B	583.825	587.600	570.075	569.150	584.600	566.475	566.825	588.275	585.300
C	587.275	588.050	570.500	571.450	585.750	566.850	567.200	589.375	587.350
D	587.850	589.450	571.750	572.175	588.400	568.675	568.725	589.775	587.975
E	588.725	589.825	589.850	573.300	589.475	588.925	572.150	574.350	589.000
F	589.275	569.125	576.500	574.825	589.850	589.550	574.325	574.875	589.725

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND JB (806–810 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Maximum	Maximum	Maximum	Standard	Standard	Standard	Robust	Robust	Robust
1	806.375	806.250	806.125	806.125	806.500	806.250	806.125	806.125	806.250
2	807.000	806.750	807.000	806.500	807.625	807.125	806.625	806.875	807.500
3	807.375	807.750	807.500	808.250	808.250	807.500	807.625	808.000	808.125
4	808.125	808.250	808.250	809.125	809.250	809.250	808.250	808.500	809.125
5	808.625	809.000	808.625	809.625	809.625	809.625	809.500	809.500	809.625
6	809.500	809.500	809.250						

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND K12 (614–638 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	UK Full Range	UK Full Range	UK Full Range	UK: CH39 CH40; Standard	UK: CH39 CH41; Standard	UK: CH40 CH41; Standard	UK: CH39; Maximum	UK: CH 40; Maximum	UK: CH41; Maximum
1	614.200	614.225	614.150	614.600	614.300	622.700	614.325	622.125	630.350
2	615.325	614.600	615.225	615.450	614.900	623.450	615.050	622.825	630.700
3	618.075	615.625	616.800	615.825	615.800	623.825	615.500	623.200	631.550
4	620.275	619.300	617.750	616.650	617.000	624.500	616.425	624.600	632.125
5	621.550	620.150	619.125	618.250	620.025	626.625	616.925	625.200	633.200
6	623.150	621.450	620.975	619.050	620.425	627.700	619.200	625.550	634.575
7	624.375	622.200	625.575	619.550	621.425	628.125	619.875	626.750	635.275
8	629.250	626.875	626.125	624.100	621.825	631.275	620.300	628.600	636.375
9	631.325	627.700	628.125	625.050	630.525	633.225	621.150	629.425	636.750
A	631.800	630.550	629.825	626.500	630.925	634.100	621.725	629.800	637.850
B	632.950	630.975	632.775	627.200	632.475	635.525			
C	635.000	632.900	634.975	627.575	633.075	636.250			
D	635.675	635.625	636.225	628.250	634.725	636.625			
E	637.375	636.550	636.675	629.650	636.025	637.375			
F	637.750	637.175	637.775		637.675				

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND K3E (606–630 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	UK: Full Range; More Frequencies	UK: Full Range; Standard	UK: Full Range; Robust	UK: CH38 Ch39; Standard	UK: CH38 CH40; Standard	UK: CH39 CH40; Standard	UK: CH38; Maximum (500kHz guard Band)	UK: CH 39; Maximum	UK: CH40; Maximum
1	606.300	606.175	606.175	606.150	606.375	614.575	606.625	614.125	622.150
2	606.725	606.550	607.350	607.200	607.775	615.425	607.200	614.925	623.475
3	607.800	607.700	609.225	607.575	608.875	615.800	608.275	615.425	624.550
4	610.200	608.175	610.275	608.650	609.675	616.625	609.075	616.475	625.200
5	611.500	611.225	611.950	609.300	611.900	618.225	609.625	617.150	626.375
6	613.250	611.725	612.600	610.525	612.275	619.025	610.575	618.275	627.300
7	615.600	613.275	620.000	616.600	613.275	619.525	611.800	619.125	627.800
8	620.675	613.900	620.450	616.975	613.675	624.075	612.375	619.700	628.625
9	621.375	620.825	621.600	617.750	622.600	625.025	613.300	620.800	628.975
A	622.575	623.075	622.275	618.125	624.650	626.475		621.375	629.700
B	623.025	624.700	625.250	620.300	625.050	627.175			
C	626.850	625.750	626.200	620.700	626.150	627.550			
D	627.450	627.275	626.575	621.450	628.050	628.225			
E	628.450	629.150	628.600	621.825	628.660	629.625			
F	629.125	629.550	629.425		629.350				

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND L18 (630–654 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	CH41; Standard	CH41; Standard	CH42; Standard	CH43; Standard	CH40 CH42; Standard	CH41 CH43; Standard	CH42 CH43; Standard	CH41 CH42 CH43; Standard	Full Range; Standard
1	633.100	639.100	645.025	651.025	633.050	639.275	645.550	639.050	630.500
2	633.550	639.525	645.850	651.400	633.425	639.650	645.425	639.425	630.925
3	635.450	640.250	646.275	652.225	634.175	640.350	646.125	640.200	634.075
4	635.875	641.825	647.225	652.750	635.850	640.725	647.700	641.800	634.950
5	636.600	642.500	647.825	653.725	636.575	642.475	648.075	642.175	636.250
6	636.975	642.875	648.900	630.250	636.950	642.850	648.975	645.800	636.700
7	639.050	630.825	630.350	630.650	645.025	651.250	651.500	647.175	640.325
8	646.475	633.025	630.725	635.000	645.700	652.175	652.125	648.250	645.400
9	647.000	633.775	633.175	635.875	646.075	652.750	653.250	648.925	647.325
A	648.225	647.850	634.625	636.250	647.675	653.725	653.725	651.100	647.750
B	648.850	648.575	635.200	640.175	648.100	634.075	630.400	651.700	648.600
C	651.575	648.975	636.650	642.650	648.950	634.925	633.375	652.925	651.475
D	651.975	651.625	651.175	645.950	630.600	635.350	633.950	653.625	652.300
E	653.050	652.275	652.300	646.650	651.500	647.950	635.175	633.600	652.750
F	653.575	653.575	653.100	647.850	652.500	648.450	635.875	635.000	653.525

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND L19 (630–654 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More Frequencies	Full Range; Standard	Full Range; Robust	CH41 CH42; Standard	CH41 CH43; Standard	CH42 CH43; Standard	CH41; Maximum	CH42; Maximum	CH43; Maximum
1	630.200	630.225	630.150	630.175	630.225	638.225	630.300	638.275	646.475
2	631.325	630.600	631.225	630.575	632.325	639.200	630.800	638.650	646.825
3	634.075	631.625	632.800	631.325	632.950	639.575	631.675	639.600	647.575
4	636.275	635.300	633.750	631.700	634.925	640.550	632.800	640.200	648.075
5	637.550	636.150	635.125	633.625	636.100	641.225	633.500	641.375	649.075
6	639.150	637.450	636.975	634.100	636.575	642.200	634.500	642.850	651.000
7	640.375	638.200	641.575	634.875	637.875	642.575	635.050	643.400	651.950
8	645.250	642.875	642.125	635.250	646.500	648.100	635.925	644.750	652.425
9	647.325	643.700	644.125	641.100	646.925	648.475	637.050	645.175	653.175
A	647.800	646.550	645.825	641.500	647.975	649.175	637.700	645.850	653.525
B	648.950	646.975	648.775	642.250	648.600	649.575			
C	651.000	648.900	650.975	643.825	651.175	651.500			
D	651.675	651.625	652.225	644.650	651.575	651.875			
E	653.375	652.550	652.675	645.050	652.575	652.725			
F	653.750	653.175	653.775	645.800	653.175	653.100			

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND M16 (686–710 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More Frequencies	Full Range; Standard	Full Range; Robust	CH48 CH49; Standard	CH48 CH50; Standard	CH49 CH50; Standard	CH48; Maximum	CH49; Maximum	CH50; Maximum
1	686.200	686.225	686.150	686.150	686.300	694.125	686.125	694.125	702.125
2	687.325	686.600	687.225	686.875	686.900	694.550	686.825	694.675	702.475
3	690.075	687.625	688.800	688.000	687.800	695.925	688.100	695.575	703.100
4	692.275	691.300	689.750	689.550	689.000	696.800	688.450	696.025	704.325
5	693.550	692.150	691.125	690.325	692.025	698.150	689.050	696.725	705.225
6	695.150	693.450	692.975	690.775	692.425	698.600	690.525	699.075	705.800
7	696.375	694.200	697.575	691.575	693.425	699.900	691.725	699.925	706.850
8	701.250	698.875	698.125	693.250	693.825	700.825	692.325	700.275	707.650
9	703.325	699.700	700.125	696.650	702.525	704.400	693.300	701.150	708.825
A	703.800	702.550	701.825	697.475	702.925	706.075	693.825	701.725	709.750
B	704.950	702.975	704.775	697.950	704.475	706.650			
C	707.000	704.900	706.975	698.825	705.075	708.275			
D	707.675	707.625	708.225	700.700	706.725	708.625			
E	709.375	708.550	708.675	701.325	708.025	709.250			
F	709.750	709.175	709.775		709.675	709.625			

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND M18 (686–710 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	CH49; Standard	CH50; Standard	CH51; Standard	CH52; Standard	CH49 CH51; Standard	CH50 CH52; Standard	CH51 CH52; Standard	CH50 CH51 CH52; Standard	Full Range; Standard
1	687.050	693.300	699.225	705.025	687.300	693.050	699.025	693.050	687.350
2	687.525	693.675	699.950	705.850	687.975	693.425	699.800	694.375	687.750
3	688.625	694.350	700.375	706.225	688.350	694.100	701.000	694.875	688.525
4	689.350	695.800	701.900	707.125	689.825	695.725	701.600	696.000	688.975
5	690.500	696.175	702.575	707.725	690.250	696.100	702.500	696.400	694.875
6	690.875	696.950	702.950	708.825	690.975	696.775	705.650	700.150	695.550
7	695.000	687.525	687.575	687.075	699.250	705.250	706.500	701.750	695.925
8	695.900	688.000	689.375	687.875	699.625	705.925	706.900	702.525	696.625
9	699.800	689.300	690.225	688.250	700.350	706.300	707.850	702.950	699.250
A	700.300	701.725	690.600	689.125	701.800	707.800	708.500	706.275	699.700
B	701.800	702.600	693.225	695.050	702.175	708.500	687.050	706.775	700.450
C	706.050	705.450	694.150	695.425	702.900	708.875	687.975	707.800	706.450
D	706.900	706.850	706.250	696.225	705.800	687.950	688.400	708.275	707.100
E	707.375	707.950	707.100	699.125	707.175	688.975	689.200	687.600	708.350
F	708.300	708.625	708.700	699.825	707.900	689.625	690.750	690.625	708.775

## PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND Q25 (742–766 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More Frequencies	Full Range; Standard	Full Range; Robust	CH55 CH56; Standard	CH55 CH57; Standard	CH56 CH57; Standard	CH55; Maximum	CH56; Maximum	CH57; Maximum
1	742.200	742.225	742.150	742.450	742.300	750.175	742.125	750.300	758.450
2	743.325	742.600	743.225	742.900	742.900	751.000	743.100	750.925	758.900
3	746.075	743.625	744.800	743.675	743.800	751.375	743.700	751.275	759.675
4	748.275	747.300	745.750	745.375	745.000	752.225	744.750	752.550	760.200
5	749.550	748.150	747.125	746.175	748.025	753.850	745.550	753.075	761.150
6	751.150	749.450	748.975	746.550	748.425	754.650	746.075	754.450	762.350
7	752.375	750.200	753.575	747.400	749.425	755.125	746.900	755.550	763.125
8	757.250	754.875	754.125	749.025	749.825	755.950	748.725	756.100	764.200
9	759.325	755.700	756.125	752.975	758.525	761.200	749.425	756.975	764.750
A	759.800	758.550	757.825	753.725	758.925	762.500	749.775	757.350	765.550
B	760.950	758.975	760.775	756.125	760.475	763.125			
C	763.000	760.900	762.975	756.525	761.075	764.150			
D	763.675	763.625	764.225	757.375	762.725	764.525			
E	765.375	764.550	764.675	757.775	764.025	765.475			
F	765.750	765.175	765.775		765.675				

### PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND R12 (794–806 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Full Range; More Frequencies	Full Range; Standard	Full Range; Robust	Full Range; Standard	Full Range; Standard	Low CH; Maximum	Low CH; Maximum	Hi CH; Maximum	Hi CH; Maximum
1	794.225	794.300	794.175	795.000	794.250	794.175	794.450	800.200	800.350
2	795.300	795.450	794.875	795.750	794.900	794.550	795.050	800.675	801.300
3	796.125	795.975	796.200	796.150	795.925	795.225	795.400	801.400	801.675
4	797.200	797.350	797.125	797.625	797.250	795.650	796.000	801.800	802.650
5	797.750	798.175	798.625	798.000	798.000	798.150	797.225	803.825	803.375
6	798.750	799.675	799.025	798.750	799.225	798.550	798.125	804.550	804.350
7	801.925	801.625	800.500	800.600	802.100	799.300	798.725	804.900	804.700
8	802.600	802.400	802.725	802.075	802.825	799.700	799.750	805.550	805.700
9	802.950	802.850	803.525	802.850	803.200				
A	803.575	804.375	805.300	804.100	804.625				
B	804.825	804.750	805.750	804.725	805.350				
C	805.475	805.475		805.800	805.725				
D	805.825								

### PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND S8 (823–832 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	3 MHz Guard Band; Nominal	3 MHz Guard Band; Nominal	3 MHz Guard Band; Nominal	1 MHz Guard Band; Nominal	1 MHz Guard Band; Nominal	1 MHz Guard Band; Nominal	500 kHz Guard Band; Nominal	125 kHz Guard Band; Nominal	125 kHz Guard Band; Nominal
1	826.000	826.025	824.450	824.125	823.600	823.525	823.575	823.200	823.175
2	826.400	826.425	824.850	824.575	824.075	825.050	824.675	823.575	824.075
3	827.300	827.325	825.625	825.500	824.900	825.800	825.250	824.700	825.275
4	827.850	827.875	826.050	825.900	825.300	826.200	826.175	825.400	825.650
5	828.950	828.975	828.525	828.800	828.000	826.950	826.575	826.725	827.750
6			829.350	829.200	828.725	829.225	829.175	828.350	828.875
7			829.750	830.300	829.925	829.775	830.000	829.050	829.550
8			830.625	830.875	830.350	830.750	830.425	830.550	830.525
9					831.475	831.150	831.325	830.925	831.000
A								831.700	831.800
B									
C									
D									

### PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND T11 (863–865 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Maximum	Maximum	Maximum	Standard	Standard	Standard	Robust	Robust	Robust
1	863.175	863.200	863.300	863.125	863.375	863.125	863.125	863.125	863.150
2	863.800	863.550	863.675	863.500	863.750	863.500	863.550	863.525	863.550
3	864.175	864.150	864.375	864.325	864.450	864.350	864.400	864.275	864.325
4	864.800	864.500	864.725	864.775	864.825	864.825	864.850	864.675	864.750
5									
6									
7									
8									
9									
A									
B									
C									
D									

### PSM300 SYSTEM COMPATIBILITY GUIDE FOR FREQUENCY BAND X7 (937.5–925 MHz)

Channel	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9
	Maximum	Maximum	Maximum	Standard	Standard	Standard	Robust	Robust	Robust
1	925.650	925.275	925.125	925.225	925.175	925.625	925.150	926.150	925.125
2	926.025	925.700	925.650	926.025	925.575	926.175	926.075	926.825	925.550
3	926.675	927.000	926.900	926.450	926.275	927.675	926.550	928.125	926.400
4	928.175	927.375	927.450	928.025	926.650	928.400	928.500	929.025	928.025
5	928.550	928.000	928.425	928.475	928.475	928.775	928.900	930.775	928.425
6	929.175	930.025	928.975	929.250	929.025	930.275	929.650	933.000	932.075
7	931.950	932.400	932.050	931.325	929.950	932.475	930.050	933.850	934.075
8	933.300	933.350	933.250	932.925	933.950	933.375	934.600	934.350	934.875
9	933.650	934.025	933.850	933.800	935.025	933.800	935.325	936.075	935.275
A	934.300	935.400	934.200	935.250	935.800	935.475	936.400	936.500	936.900
B	935.975	936.000	934.800	935.800	936.900	935.875	937.100	937.350	937.300
C	936.325	936.350	936.000	937.075	937.350	936.850			
D	936.950	937.050	936.900						